

Godex is proud to present the newest addition to our line of printers. C690LJ is a color inkjet label printer for professional use. The printer has the latest sensor technology, high-precision print and easy label handling. This robust all-metal case makes it ideal for industrial use. This unique printer provides professional quality label printing and high printing speed. C690LJ is the ultimate solution for great color label.

The printer has an externally mounted roll holder and a manual tear-off edge. The roller holder allows the use of label rolls with a diameter of up to 228.6mm. Other options such as an automatic rewinder are available.

Label possibilities:









Highlights:

- Full color labels. Waterproof and alcohol resistant
- Large print surface (38x12mm to 210x500mm) up to A4 in size
- High level print quality up to 1200 x 1200dpi in color
- Print speeds up to 4" per second (300dpi)
- Separate large ink cartridges (C/M/Y/B)
- Easy-to-use operation for users
- Occupied PDF. Free label software









Print Method	Thermal Inkjet					
Tim Memod	Black: up to 1200dpi					
Resolution	Color: up to 1200dpi					
Print Speed	Up to 4" per second (300dpi)					_
Ink Volume	Black: 69ml (dye ink), 66ml (pigment ink), Color (CMY): 28ml					
Supported operating system	Windows [®] 8.1, 8, 7, V	ista (32 and 64 bit) XP				
Sensors	Adjustable GAP, Blac	ck Mark sensor from 0 to	0 3.2"			
Media Dimension		Max	Min	_	Media width	
	Label width	203 mm (8")	38 mm (1.5")			
	Media width	216 mm (8.5")	38 mm (1.5")	Label Wir	Label Width	
	Label height	500 mm (19,7")	15 mm (0.6")	Label Height		
	Label distance	5 mm (0,02")	2 mm (0.08")	I		
Paper feed	Sensor Supervised label feed Single sheets (manual)			*	GAP between	Lat
Material type	Continuous paper ar	•		-		
Label roll	Max. Roll diameter 228.6 mm (9") Max. Roll width 219 mm (8.5")					
Label detection	GAP, Black Mark, Continous					
Interface	Integrated Wired Ethernet interface RJ45 USB 2.0				$\overline{}$	
External power supply	100-240V AC (+/- 10%	%), 50/60 Hz (+/- 3%)				_
Power consumption (Max)	28W during printing 6W idle 0.6W (220V) in the of	f state				
Dimensions (W x H x D) and weight	0.4W (110V) in the of 500 (B) x 400 (H) x 250					_
Warranty	2 year warranty or 1					_